

取扱鋼材一覽

藤商事株式会社

品種	寸 法		単 重
普通丸鋼	φ6	× 5.5m	1.22
	φ9	× 5.5m	2.74
	φ9	× 6.0m	2.99
	φ13	× 5.5m	5.72
	φ13	× 6.0m	6.24
	φ16	× 5.5m	8.69
	φ16	× 6.0m	9.48
	φ19	× 5.5m	12.30
	φ19	× 6.0m	13.40
	φ22	× 5.5m	16.40
	φ22	× 6.0m	17.90
φ25	× 5.5m	21.20	
φ25	× 6.0m	23.10	

取扱鋼材一覧

藤商事株式会社

品種	寸 法				単 重
異	D10	×	3.5m	295	1.96
	D10	×	4.0m		2.24
	D10	×	4.5m		2.52
	D10	×	5.0m		2.80
	D10	×	5.5m		3.08
	D10	×	6.0m		3.36
	D10	×	6.5m		3.64
	D10	×	7.0m		3.92
	D10	×	7.5m		4.20
形	D13	×	3.5m	295	3.48
	D13	×	4.0m		3.98
	D13	×	4.5m		4.48
	D13	×	5.0m		4.98
	D13	×	5.5m		5.47
	D13	×	6.0m		5.97
	D13	×	6.5m		6.47
	D13	×	7.0m		6.96
	D13	×	7.5m		7.46
丸	D13	×	3.5m	345	3.48
	D13	×	4.0m		3.98
	D13	×	4.5m		4.48
	D13	×	5.0m		4.98
	D13	×	5.5m		5.47
	D13	×	6.0m		5.97
	D13	×	6.5m		6.47
	D13	×	7.0m		6.96
	D13	×	7.5m		7.46
	D13	×	9.0m		8.96
	D13	×	9.5m		9.45

取扱鋼材一覽

藤商事株式会社

品種	寸 法			単 重	
異 形 丸 鋼	D16	×	3.5m	345	5.46
	D16	×	4.0m		6.24
	D16	×	4.5m		7.02
	D16	×	5.0m		7.80
	D16	×	5.5m		8.58
	D16	×	6.0m		9.36
	D16	×	6.5m		10.10
	D16	×	7.0m		10.90
	D16	×	7.5m		11.70
	D16	×	9.5m		14.80
	D19	×	3.5m	345	7.88
	D19	×	4.0m		9.00
	D19	×	4.5m		10.10
	D19	×	5.0m		11.20
	D19	×	5.5m		12.40
	D19	×	6.0m		13.50
	D19	×	6.5m		14.60
	D19	×	7.0m		15.80
	D19	×	7.5m		16.90
D19	×	8.0m		30.40	
D19	×	9.0m		33.40	

取扱鋼材一覧

藤商事株式会社

品種	寸 法			単 重	
異 形	D22	×	3.5m	345	10.60
	D22	×	4.0m		12.20
	D22	×	4.5m		13.70
	D22	×	5.0m		15.20
	D22	×	5.5m		16.70
	D22	×	6.0m		18.20
	D22	×	6.5m		19.80
	D22	×	7.0m		21.30
	D22	×	7.5m		22.80
	D22	×	8.0m		24.30
	D22	×	8.5m		25.80
	D22	×	9.0m		27.40
	D22	×	10.0m		30.40
	D22	×	11.0m		33.40
丸 鋼	D25	×	3.5m	345	13.90
	D25	×	4.0m		15.90
	D25	×	4.5m		17.90
	D25	×	5.0m		19.90
	D25	×	5.5m		21.90
	D25	×	6.0m		23.90
	D25	×	6.5m		25.90
	D25	×	7.0m		27.90
	D25	×	7.5m		29.80
	D25	×	8.0m		31.80
	D25	×	8.5m		33.80
	D25	×	9.0m		35.80
	D25	×	10.0m		39.80
	D25	×	11.0m		43.80

取扱鋼材一覧

藤商事株式会社

品種	寸 法				単 重	
平	3	×	16	×	5.5m	2.07
	3	×	19	×	5.5m	2.46
	3	×	25	×	5.5m	3.24
	3	×	32	×	5.5m	4.15
	3	×	38	×	5.5m	4.92
	3	×	50	×	5.5m	6.49
	4.5	×	19	×	5.5m	3.69
	4.5	×	25	×	5.5m	4.86
	4.5	×	32	×	5.5m	6.22
	4.5	×	38	×	5.5m	7.37
	4.5	×	44	×	5.5m	8.52
	4.5	×	50	×	5.5m	9.74
	4.5	×	75	×	5.5m	14.60
4.5	×	100	×	5.5m	19.40	
鋼	6	×	16	×	5.5m	4.15
	6	×	19	×	5.5m	4.92
	6	×	25	×	5.5m	6.49
	6	×	32	×	5.5m	8.30
	6	×	38	×	5.5m	9.84
	6	×	44	×	5.5m	11.40
	6	×	50	×	5.5m	13.00
	6	×	65	×	5.5m	16.80
	6	×	75	×	5.5m	19.40
	6	×	90	×	5.5m	23.30
	6	×	100	×	5.5m	25.90
	6	×	125	×	5.5m	32.40
	6	×	150	×	5.5m	38.80
	6	×	165	×	6.0m	46.60
6	×	200	×	6.0m	56.50	

取扱鋼材一覧

藤商事株式会社

品種	寸 法	単 重
平 鋼	9 × 19 × 5.5m	7.37
	9 × 22 × 5.5m	8.52
	9 × 25 × 5.5m	9.74
	9 × 32 × 5.5m	12.40
	9 × 38 × 5.5m	14.70
	9 × 44 × 5.5m	17.10
	9 × 50 × 5.5m	19.40
	9 × 65 × 5.5m	25.20
	9 × 75 × 5.5m	29.20
	9 × 90 × 5.5m	35.00
	9 × 100 × 5.5m	38.80
	9 × 125 × 5.5m	48.60
	9 × 150 × 5.5m	58.30
	9 × 165 × 6.0m	70.20
	9 × 175 × 6.0m	74.40
	9 × 200 × 6.0m	84.60
	9 × 250 × 6.0m	106.00
	9 × 300 × 6.0m	127.00
	12 × 50 × 5.5m	25.90
12 × 75 × 5.5m	29.20	
12 × 100 × 5.5m	51.80	
12 × 125 × 5.5m	64.90	
12 × 150 × 5.5m	77.60	
12 × 200 × 6.0m	112.80	
12 × 250 × 6.0m	142.00	
12 × 300 × 6.0m	170.00	
22 × 350 × 6.0m	362.00	

取扱鋼材一覧

藤商事株式会社

品種	寸 法						単 重	
等 辺 山 形 鋼	3	×	20	×	20	×	5.5m	4.87
	3	×	25	×	25	×	5.5m	6.16
	3	×	30	×	30	×	5.5m	7.48
	3	×	40	×	40	×	5.5m	10.10
	5	×	40	×	40	×	5.5m	16.20
	4	×	50	×	50	×	5.5m	16.80
	4	×	50	×	50	×	12.0m	36.70
	4	×	50	×	50	×	6.0m	18.40
	6	×	50	×	50	×	5.5m	24.40
	6	×	50	×	50	×	12.0m	53.20
	6	×	50	×	50	×	6.0m	26.60
	6	×	65	×	65	×	5.5m	32.50
	6	×	65	×	65	×	12.0m	70.90
	6	×	65	×	65	×	6.0m	35.50
	6	×	65	×	65	×	6.0m 赤	35.50
	6	×	65	×	65	×	5.5m	37.70
	6	×	75	×	75	×	12.0m	82.20
	6	×	75	×	75	×	6.0m	37.70
	9	×	75	×	75	×	5.5m	54.80
	9	×	75	×	75	×	12.0m	120.00
	7	×	90	×	90	×	12.0m	115.00
	7	×	90	×	90	×	6.0m	57.50
	10	×	90	×	90	×	12.0m	160.00
	10	×	90	×	90	×	6.0m	79.80
	7	×	100	×	100	×	12.0m	128.00
7	×	100	×	100	×	6.0m	64.00	
10	×	100	×	100	×	12.0m	179.00	
10	×	100	×	100	×	6.0m	89.40	

取扱鋼材一覽

藤商事株式会社

品種	寸 法	単 重
不等辺山形鋼	7 × 75 × 100 × 12.0m	112.00
	7 × 75 × 100 × 6.0m	55.90
	7 × 75 × 125 × 12.0m	128.00
	7 × 5 × 125 × 6.0m	64.20

取扱鋼材一覧

藤商事株式会社

品種	寸 法	単 重
溝 形	5 × 40 × 75 × 5.5m	38.10
	5 × 40 × 75 × 6.0m	41.50
	5 × 40 × 75 × 12.0m	83.00
	5 × 50 × 100 × 5.5m	51.50
	5 × 50 × 100 × 6.0m	56.20
	5 × 50 × 100 × 11.0m	103.00
	5 × 50 × 100 × 12.0m	112.00
	6 × 65 × 125 × 5.5m	73.70
	6 × 65 × 125 × 6.0m	80.40
	6 × 65 × 125 × 12.0m	161.00
鋼	6.5 × 75 × 150 × 5.5m	102.00
	6.5 × 75 × 150 × 6.0m	112.00
	6.5 × 75 × 150 × 11.0m	205.00
	6.5 × 75 × 150 × 12.0m	223.00
	7.5 × 80 × 200 × 11.0m	271.00
	7.5 × 80 × 200 × 12.0m	295.00
	7.5 × 80 × 200 × 6.0m	148.00

取扱鋼材一覧

藤商事株式会社

品種	寸 法				単 重	
H 形 鋼	100	×	100	×	6.0m	101.00
	100	×	100	×	11.0m	186.00
	100	×	100	×	12.0m	203.00
	100	×	100	×	5.0m	84.50
	100	×	100	×	2.0m	34.00
	100	×	100	×	3.0m	51.00
	248	×	124	×	11.0m	276.00
品種	寸 法				単 重	
コ ラ ム						
	9	×	200	×	200 × 12.0m	628.00

取扱鋼材一覧

藤商事株式会社

品種	寸 法						単 重	
C 形 メ ツ キ	75	×	45	×	1.6	×	12.0m	28.20
	100	×	50	×	3.2	×	12.0m	66.50
	100	×	50	×	3.2	×	8.5m	47.10
品種	寸 法						単 重	
C 形 鋼 黒	75	×	45	×	1.6	×	11.0m	25.50
	75	×	45	×	1.6	×	12.0m	27.80
	75	×	45	×	1.6	×	6.0m	13.90
	75	×	45	×	2.3	×	12.0m	39.00
	75	×	45	×	2.3	×	6.0m	19.50
	100	×	50	×	1.6	×	11.0m	31.70
	100	×	50	×	1.6	×	12.0m	34.60
	100	×	50	×	2.3	×	11.0m	44.70
	100	×	50	×	2.3	×	12.0m	48.70
	100	×	50	×	2.3	×	6.0m	24.40
	100	×	50	×	3.2	×	12.0m	66.00
	100	×	50	×	3.2	×	6.0m	24.40
150	×	50	×	3.2	×	12.0m	81.10	
150	×	50	×	3.2	×	6.0m	40.60	

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重		
C 形 鋼 赤	60	×	30	×	1.6	×	12.0m	19.60
	60	×	30	×	1.6	×	6.0m	9.78
	60	×	30	×	2.3	×	12.0m	27.00
	60	×	30	×	2.3	×	6.0m	13.50
	75	×	45	×	1.6	×	11.0m	25.50
	75	×	45	×	1.6	×	12.0m	27.80
	75	×	45	×	1.6	×	6.0m	13.90
	75	×	45	×	2.3	×	12.0m	39.00
	75	×	45	×	2.3	×	6.0m	13.90
	100	×	50	×	1.6	×	11.0m	31.70
	100	×	50	×	1.6	×	12.0m	34.60
	100	×	50	×	1.6	×	6.0m	17.30
	100	×	50	×	2.3	×	11.0m	44.70
	100	×	50	×	2.3	×	12.0m	48.70
	100	×	50	×	2.3	×	6.0m	24.40
100	×	50	×	3.2	×	12.0m	66.00	
100	×	50	×	3.2	×	6.0m	33.00	
125	×	50	×	3.2	×	12.0m	73.60	
150	×	50	×	3.2	×	12.0m	81.10	

取扱鋼材一覧

藤商事株式会社

品種	寸 法						単 重	
C 形 鋼 グ レ ー	60	×	30	×	1.6	×	11.0m	17.90
	60	×	30	×	1.6	×	12.0m	19.60
	60	×	30	×	2.3	×	11.0m	24.80
	60	×	30	×	2.3	×	12.0m	27.00
	75	×	45	×	1.6	×	11.0m	25.50
	75	×	45	×	1.6	×	12.0m	27.80
	75	×	45	×	2.3	×	11.0m	35.80
	75	×	45	×	2.3	×	12.0m	39.00
	100	×	50	×	1.6	×	11.0m	31.70
	100	×	50	×	1.6	×	12.0m	34.60
	100	×	50	×	1.6	×	6.0m	17.30
	100	×	50	×	2.3	×	11.0m	44.70
	100	×	50	×	2.3	×	12.0m	48.70
100	×	50	×	2.3	×	6.0m	24.40	
100	×	50	×	3.2	×	12.0m	66.00	

取扱鋼材一覧

藤商事株式会社

品種	寸 法						単 重	
軽	200	×	50	×	3.2	×	3,720	27.00
	200	×	50	×	3.2	×	4,630	33.70
	250	×	50	×	4.0	×	4,630	49.10
	250	×	50	×	4.0	×	5,540	58.70
	300	×	50	×	4.0	×	4,630	56.00
	300	×	50	×	4.0	×	5,540	67.00
	300	×	50	×	4.0	×	6,450	78.00
	300	×	50	×	4.0	×	7,360	89.10
量								
	350	×	50	×	4.0	×	5,540	75.90
	350	×	50	×	4.0	×	6,450	88.40
	350	×	50	×	4.0	×	7,360	101.00
	350	×	50	×	4.5	×	6,450	99.30
	350	×	50	×	4.5	×	7,360	113.00
	350	×	50	×	4.5	×	8,280	128.00
	350	×	50	×	4.5	×	9,200	142.00
梁	400	×	75	×	4.5	×	7,360	139.00
	450	×	75	×	4.5	×	9,200	190.00
品種	寸 法						単 重	
ボルト	1/2	×	125		(ユニク口)	N付		
	1/2	×	140		(ユニク口)	N付		

取扱鋼材一覧

藤商事株式会社

品種	寸 法			単 重		
鉄	1.6	×	914	×	1,829	21.00
	1.6	×	1,219	×	2,438	37.30
	1.6	×	1,524	×	3,048	58.30
	2.3	×	914	×	1,829	30.20
	2.3	×	1,219	×	2,438	53.70
	2.3	×	1,524	×	3,048	83.90
	3.2	×	914	×	1,829	42.00
	3.2	×	1,219	×	2,438	74.70
	3.2	×	1,524	×	3,048	117.00
	4.5	×	914	×	1,829	59.10
	4.5	×	1,219	×	2,438	105.00
	4.5	×	1,524	×	3,048	164.00
	6.0	×	914	×	1,829	78.80
	6.0	×	1,219	×	2,438	140.00
	6.0	×	1,524	×	3,048	219.00
	9.0	×	914	×	1,829	118.00
	9.0	×	1,219	×	2,438	210.00
	9.0	×	1,524	×	3,048	328.00
板	12.0	×	914	×	1,829	158.00
	12.0	×	1,219	×	2,438	280.00
	12.0	×	1,524	×	3,048	438.00
	16.0	×	914	×	1,829	210.00
	16.0	×	1,219	×	2,438	373.00
	16.0	×	1,524	×	3,048	583.00
	19.0	×	914	×	1,829	249.00
	19.0	×	1,219	×	2,438	443.00
	19.0	×	1,524	×	3,048	693.00
	22.0	×	914	×	1,829	289.00
	22.0	×	1,219	×	2,438	513.00
	22.0	×	1,524	×	3,048	802.00

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重
鉄 板	25.0	×	914	×	1,829	328.00
	25.0	×	1,219	×	2,438	583.00
	28.0	×	1,524	×	3,048	1,021.00

取扱鋼材一覧

藤商事株式会社

品種	寸 法			単 重				
縞 鋼 板	3.2	×	914	×	1,829	44.80		
	3.2	×	1,219	×	2,438	79.70		
	4.5	×	914	×	1,829	61.90		
	4.5	×	1,219	×	2,438	110.00		
	6.0	×	914	×	1,829	81.60		
	6.0	×	1,219	×	2,438	145.00		
	2.3	×	914	×	1,829	33.00		
品種	寸 法			単 重				
ス テ ッ プ	3.2	×	900					
	3.2	×	1,200					
品種	寸 法			単 重				
エ キ ス パ ン ド メ タ ル								
	2.3	×	914	×	1,829	6.86		
	2.3	×	1,219	×	2,438	12.20		
	3.2	×	914	×	1,829	13.40		
	3.2	×	1,219	×	2,438	23.80		
	4.5	×	914	×	1,829	22.90		
	4.5	×	1,219	×	2,438	40.70		
	6.0	×	914	×	1,829	30.60		
	6.0	×	1,219	×	2,438	54.40		
品種	寸 法			単 重				
デ ッ キ	キーストンプレート (メッキ)							
	1.2	×	650	×	25	×	6.0	52.00

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重	
表 面 処 理 鋼 板	ペンタイト	1.6	×	4	×	7	33.10
	ペンタイト	1.6	×	4	×	8	37.90
	ペンタイト	1.6	×	4	×	10	47.30
	ペンタイト	1.6	×	4	×	8	47.30
	ペンタイト	1.6	×	4	×	10	59.20
	ペンタイト	1.6	×	4	×	7	24.80
	ペンタイト	2.3	×	4	×	8	54.20
	ペンタイト	2.3	×	4	×	10	67.80
	ボンデ鋼板	1.2	×	3	×	6	15.80
	ボンデ鋼板	1.2	×	3	×	10	26.30
	ボンデ鋼板	1.2	×	4	×	8	28.00
	ボンデ鋼板	1.2	×	4	×	10	35.00
	ボンデ鋼板	2.3	×	5	×	10	84.70
	ミガキ鋼板	1.0	×	4	×	8	23.30
品種	寸 法					単 重	
酸 洗 鋼 板	酸洗鋼板	1.6	×	4	×	8	37.30
	酸洗鋼板	1.6	×	4	×	6	28.00
	酸洗鋼板	2.3	×	4	×	8	53.70
	酸洗鋼板	2.3	×	4	×	6	40.30
	酸洗鋼板	2.0	×	4	×	8	46.70
品種	寸 法					単 重	
非 鉄 金 属	1.5	×	1,000	×	3,000	12.20	
	2.0	×	1,000	×	2,000	16.30	
	2.0	×	1,000	×	3,000	16.90	

取扱鋼材一覽

藤商事株式会社

品種	寸 法				単 重		
配 管 用 鋼 管	SGP						
	15A	()	×	5.5	7.20		
	20A	()	×	5.5	9.24		
	25A	()	×	5.5	13.40		
	32A	()	×	5.5	18.60		
	40A	()	×	5.5	21.40		
	50A	()	×	5.5	29.20		
	65A	()	×	5.5	41.10		
	80A	()	×	5.5	48.30		
	90A	()	×	5.5	55.60		
	100A	()	×	5.5	67.10		
	125A	()	×	5.5	82.50		
	150A	()	×	5.5	109.00		
	200A	()	×	5.5	166.00		
品種	寸 法				単 重		
構 造 用 鋼 管	STk	21.7	×	1.9	×	5.5m	5.10
	STk	27.2	×	1.9	×	5.5m	6.54
	STk	34.0	×	2.3	×	5.5m	9.90
	STk	42.7	×	2.3	×	5.5m	12.60
	STk	48.6	×	2.3	×	5.5m	14.50
	STk	60.5	×	2.3	×	5.5m	18.20

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重		
角	13	×	13	×	1.6	×	5.5m	3.80
	16	×	16	×	1.6	×	5.5m	4.47
	19	×	19	×	1.6	×	5.5m	5.16
	25	×	25	×	1.6	×	5.5m	7.04
	31	×	31	×	1.6	×	5.5m	7.92
	40	×	40	×	1.6	×	5.5m	10.70
	40	×	20	×	1.6	×	5.5m	7.92
	50	×	26	×	1.6	×	5.5m	10.70
	50	×	30	×	1.6	×	5.5m	10.70
	パ	50	×	50	×	1.6	×	6.0m
50		×	50	×	2.3	×	6.0m	20.00
50		×	50	×	3.2	×	6.0m	27.00
60		×	60	×	1.6	×	6.0m	17.30
60		×	60	×	2.3	×	6.0m	24.40
60		×	60	×	3.2	×	6.0m	33.00
イ	75	×	75	×	2.3	×	6.0m	30.80
	75	×	75	×	3.2	×	6.0m	42.10
	100	×	100	×	2.3	×	6.0m	41.70
プ	100	×	100	×	3.2	×	6.0m	57.20
	125	×	125	×	3.2	×	6.0m	72.00
	100	×	75	×	4.5	×	6.0m	74.20
	150	×	150	×	4.5	×	6.0m	121.00
	150	×	150	×	6.0	×	6.0m	158.00
	60	×	30	×	1.6	×	6.0m	12.80
	60	×	30	×	2.3	×	6.0m	17.90
	75	×	45	×	2.3	×	6.0m	24.40
	100	×	50	×	2.3	×	6.0m	30.80
	100	×	50	×	3.2	×	6.0m	42.10

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重		
角 パ イ プ	40	×	25	×	1.6	×	5.5m	8.91
	40	×	40	×	2.3	×	6.0m	16.50
	100	×	100	×	2.3	×	8.0m	55.60
	100	×	100	×	3.2	×	8.0m	76.20
品種	寸 法					単 重		
角 P (赤)								
	100	×	100	×	3.2	×	6.0m	57.20

取扱鋼材一覧

藤商事株式会社

品種	寸 法					単 重
単 管 ・ ク ラ ン プ	φ48.6	×	2.4	×	2.0m	5.46
	φ48.6	×	2.4	×	3.0m	8.19
	φ48.6	×	2.4	×	4.0m	10.90
	φ48.6	×	2.4	×	5.0m	13.70
	φ48.6	×	2.4	×	6.0m	16.40
	自在クランプ				φ48.6	
	直交クランプ				φ48.6	
	C型ジョイント				φ48.6	
	単管キャップ				φ48.6	
	クランプカバー				φ48.6	
品種	寸 法					単 重
ナ マ シ 線 ・ 鋼 線	ナマシ線				3.2m /m	25.00
	ナマシ線				2.6m /m	25.00
	亜鉛メッキ鋼線				6.0m /m	80.00
品種	寸 法					単 重
メ ツ シ ユ	3.2	×	100目	×	1.0m × 2.0m	
	6.0	×	100目	×	1.0m × 2.0m	
	6.0	×	150目	×	1.0m × 2.0m	
	D6	×	150目	×	1.0m × 2.0m	

取扱鋼材一覧

藤商事株式会社

品種	寸 法		単 重	
フ	主 柱	KAZ型	H-90	
	主 柱	KAZ型	H-100	
	主 柱	KAZ型	H-120	
	主 柱	KAZ型	H-150	
エ	端 柱	KAZ型	H-90	
	端 柱	KAZ型	H-100	
	端 柱	KAZ型	H-120	
	端 柱	KAZ型	H-150	
ン	胴 緑	KAZ型	4.0m	
	コーナー金具			
	補修スプレー			
ス	タキロン線	4.0m / m		
		約 700m / 50kg 巻		
		(0.07kg / m)		

取扱鋼材一覧

藤商事株式会社

品 種	寸 法	単 重	
カナドレン ・ カナダ ダ ブ ル	カナドレン	TT-100	
	カナダブル	H-150	5.00
	カナダブル	H-200	5.00
	カナダブル	C-150	5.00
	カナダブル	C-200	5.00
	カナダブル	ST-300	5.00
	カナダブル	ST-450	5.00
	カナダブル	75(無孔)	5.00
	カナドレン継手		
	直管継手	TT-100用	
	カナダブル継手		
	直管継手	200φ	
	Mシート継手	300φ	

取扱鋼材一覧

藤商事株式会社

品種	寸 法	単 重
土 の う ・ 目 地 材	樹脂発泡目地	
	H10 × 1M × 1M	
	S10 × 1M × 1M	
	植生袋 100枚入	
	PP土のう	
	大型土のう	
	ブルーシート 2k × 3k	
	ブルーシート 3k × 4k	